

Fixed Restorative RX

Step 1 | Doctor & Patient Information

Date Sent / / Date Due / /

Doctor

Address

City St Zipcode

Patient Name Age

Request Additional RX Order Forms

Step 2 | Restoration Type & Shade

- | | |
|--|--|
| <input type="checkbox"/> Full Zirconia | <input type="checkbox"/> emax Crown |
| <input type="checkbox"/> Zirconia HT | <input type="checkbox"/> emax Veneer |
| <input type="checkbox"/> Porcelain Fused to Zirconia | <input type="checkbox"/> PFM Porcelain Fused to Metal |
| <input type="checkbox"/> Facial Cut Back | <input type="checkbox"/> Full Gold <input type="radio"/> 58% <input type="radio"/> 02% |

Shade Desired Stump Shade

Step 3 | Special Instructions

Notes

Call for specific instructions

Doctor Signature License #

Implants

Step 4 | Implant Platform Specifics


Implant Brand Type Size

Implant Restorative Type

Option 1: Cement Retained

- Custom Titanium Abutment
 - Authentic 3rd Party
- Custom Zirconia Abutment
 - Authentic Ti-base

Abutment Margin Depth



Option 2: Screw Retained

- Screw Retained Hybrid Crown
 - Titanium Base Straight
 - Titanium Base (ASC) Angulated Screw Channel
 - Zirconia ASC - Nobel, Straumann, 3i Non-authentic - Many more
 - UCLA Castable w/ Porcelain
- Custom Screwmentable (Cemented Chairside)
- Custom Screwmentable (Cemented in Lab)

Emergency: Natural Mushroom

Notes

